



## EQUIPALAZONE SACHET

### Composition

Each sachet contains

Phenylbutazone	1 g
----------------	-----

### Characteristics

Powder for oral administration with anti-inflammatory and analgesic properties.

### Indications

For treatment of musculoskeletal disorders in horses and ponies e.g. osteo-arthritic conditions, acute and chronic laminitis, bursitis.

### Dosage and administration

Administer Equipalazone orally or mix with the feed.

Horse (450 kg):	Day 1	2 x 2 sachets, (8.8mg/kg/day)
	Day 2,3,4,5	2 x 1 sachet per day
	Next days	1 x 1 sachet per day or every other day
Pony (225kg):	Every other day	1 x 1 sachet

Adjust dose according to bodyweight

Discontinue treatment if no response is evident after 4 – 5 days of treatment.

### Contraindications

Do not use in animals with cardiac, hepatic or renal disease, do not use in animals with known hypersensitivity to Phenylbutazone. Do not use where there is the possibility of gastrointestinal ulceration or bleeding, or where there is evidence of a blood dyscrasia.

Avoid use in any dehydrated, hypovolemic or hypotensive animals as there is a risk of increased renal toxicity.

### Warnings

Do not administer other NSAID's concurrently or within 24 hours of each other.

Use in animals less than 6 weeks of age, or in aged animals may involve additional risk. If such use cannot be avoided, animals may require a reduced dosage and careful clinical management.

The clinical effect of Phenylbutazone can be evident for at least 3 days following cessation of administration. This should be born in mind when examining horses for soundness.

### Storage

Store at 15 – 25°C.

Keep out of reach and sight of children.

### Presentation

Carton with 100 sachets

### Registration (International)

PL 1732/4083