
Greveling Holding BV



Greveling Holding BV



PROCAINE-PENICILLINE 30

Composition

Each ml suspension contains

Procainebenzylpenicilline	300.000 I.E.
---------------------------	--------------

Characteristics

Bactericidal small-spectrum antibiotic, active mainly against Gram-positive bacteria such as Streptococcus, Staphylococcus, Corynebacterium and Erysipelas.

Indications

For the treatment of systemic infections caused by, or associated with, organisms sensitive to penicillin.

Dosage and administration

Shake well before use.

I.M. Injection.

Horses: 15mg of Procaine benzyl penicillin per KG/BW, corresponding to 0.5ml Procaine-Penicillin per 10KG/BW.

There should not be injected more than 20ml per injection site.

Contraindications

Not for use in animals with known sensitivity to penicillin. Occasional allergic reactions have been observed, but these are rare.

Not for use in lactating ewes producing milk for human consumption.

Occasionally, in suckling and fattening pigs, administration of procaine penicillin may cause a transient pyrexia, vomiting, shivering, listlessness and un-coordination.

Additionally in pregnant sows and gilts, a vulval discharge which could be associated with abortion has been reported.

Withholding period

Milk should not be used for human consumption during treatment or for 72 hours thereafter.

Animals should not be slaughtered for human consumption during treatment or for 7 days thereafter.

Storage

Store between 2 – 8°C. Keep refrigerated.

Avoid the introduction of contamination during use. Once opened, use contents within four weeks.

Keep out of reach and sight of children.

Presentation

100ml vials.

Registration (International)

REG NL 9204 UDA