



SEBACIL 50

Composition

Each 100ml contains:

Phoxim	50 g
N-Butanol	7.9 g
Excipients	100 ml

Indications

Control of mange mites and lice in pigs. Control of mange mites (*Psoroptes*, *Chorioptes*, *Sarcoptes* spp.) *Psotergates ovis* (itch mite), sucking and biting lice, sheep keds, flies, fly larvae in wounds and ticks on all domestic animals except cats.

Dosage and administration

Route of application: wash, spray, plunge dip treatment.

- Sucking and biting lice, sheep ked, flies, ticks, and fly maggots in wounds;
single treatment: 10 ml Sebacil are added to 10 l of water.
- Psoroptes*-, *Sarcoptes*- and *Chorioptes* mites:
two treatments at a 7-day interval: 10 ml Sebacil added to 10 l water. In severe mange infestation concentration should be doubled, e.g. 20 ml to 10 l water.

Wash treatment: The wash treatment is particularly recommended for individual animals (dogs). The wash is applied with a sponge to the animal, taking care that the entire body is moistened.

Spray treatment: Spray implements of any kind can be used. When spraying, particular care should be taken that the spray pressure does not fall below 6 bars (5 atm). The entire body of the animal must be thoroughly wetted, particularly the regions around the ears, between legs and udder and under the tail.

Quantities of final dosing solution required for spraying for example of:

Cattle/horse: approx. 3 – 4 litres
Pig: approx. 0,5 – 1 litre
Sheep/goat: approx. 2 – 3 litres

Plunge dip treatment (of sheep mange): see leaflet.

Contraindications

Sebacil should not be administered together with other cholinesterase inhibitors. Phenothiazine or muscle relaxants of the succinylcholine type should not be administered ten days before or ten days after treatment with Sebacil.

Precautions

Avoid direct contact of the product and the prepared emulsion with skin and eyes.

Withholding period

Meat and offal: 28 days.

Warnings

Do not use in animals producing milk for human consumption.

Storage

Store at 15 – 25°C.

Do not store near food.

Keep out of reach and sight of children.

Presentation

Bottle of 250 ml

Registration (International)